

# Certificate of Compliance

**Certificate:** 1997365 (LR 37004-1) **Master Contract:** 169954  
**Project:** 1997365 **Date Issued:** 2008/01/10  
**Issued to:** Bay Motor Products Incorporated  
P.O. Box 982  
Traverse City, MI 49685-0982  
USA  
Attention: Gerald Hall

*The products listed below are eligible to bear the CSA Mark shown*



**Issued by:** R. Tateishi, P. Eng.

**Authorized by:** Nick Alfano, Operations Manager



## PRODUCTS

### **CLASS 4211 01 - MOTORS AND GENERATORS**

Open, shaded pole, motors, Type I series, impedance protected, 60 or 50 Hz, Class A or B, 25°C max ambient as follows:

	Max	Max	Max		Stack
Model	LRA	FLA	Volts	Protection	Height
IA	0.47	0.45	277	ZP	3/8



**Certificate:** 1997365 (LR 37004-1)

**Master Contract:** 169954

**Project:** 1997365

**Date Issued:** 2008/01/10

---

IB	0.50	0.48	277	ZP	1/2
IC	0.53	0.51	277	ZP	5/8
ID	0.57	0.54	277	ZP	3/4
IE	0.59	0.56	277	ZP	7/8
IF	0.60	0.57	277	ZP	1
IG	0.61	0.58	277	ZP	1-1/8
IH	0.62	0.59	277	ZP	1-3/8
IJ	0.63	0.60	277	ZP	1-1/2

**Notes:**

- (a) Certified as components only of other Certified equipment.
- (b) Certified for "Air-Over" fan duty application only.
- (c) Motors rated up to 250V may be provided with a thermal cutoff.

**APPLICABLE REQUIREMENTS**

CSA Standard C22.2 No. 100 - Motors and Generators

CSA Standard C22.2 No. 77 - Motors with Inherent Overheating Protection

**MARKINGS**